




DUALFLUX


FLOW REVERSERS

DEBEM

DUALFLUX Flow Reversers are **DEBEM** fittings which allow, through an internal passage exchange, to **reverse the flow, that is to exchange the suction with the delivery.** They can also be remote-controlled by means of a pneumatic or electric five-way valve. Easy to install, they assure a safe and quick exchange.



DUALFLUX




INSTALLATION

Dualflux Flow Reverser must be connected as near as possible both with the pump suction and with the delivery.


HOW IT WORKS

By connecting the pump suction and delivery to the Dualflux, they may be inverted only operating a valve (pneumatic or electric) which will allow the exchange inside the Flow Reverser.

Suction from tank A to tank B




Suction from tank B to tank A



■ Suction ■ Delivery



DUALFLUX



DUALFLUX 150/251/502/503

APPLICABILITY

Flow reverser	Pump
DUALFLUX 15	CUBIC 15
DUALFLUX 50	BOXER 50/MICROBOXER
DUALFLUX 100	BOXER 81/100
DUALFLUX 150	BOXER 150
DUALFLUX 251	BOXER 251
DUALFLUX 502	BOXER 502
DUALFLUX 503	BOXER 503



DUALFLUX 15/50/100

DUALFLUX COMPOSITION CODES

ex. DUAL15PD

Dualflux 15 in PP + o-ring in EPDM

DUAL15

P

D

DUALFLUX modell

DUALFLUX body

O-ring

DUAL 15 - Dualflux 15
 DUAL 50 - Dualflux 50
 DUAL 100 - Dualflux 100
 DUAL 150 - Dualflux 150
 DUAL 250 - Dualflux 250
 DUAL 502 - Dualflux 502
 DUAL 503 - Dualflux 503

P - Polyprilene

D - EPDM
 V - VITON